BIBLIO REHABILITATION RESPIRATOIRE

Borg, G.A. (1982) Psychophysical bases of perceived exertion. Medicine and Science in Sports and Exercise, 14(5), p. 377-381.

Collège des Enseignants de Pneumologie (2017) Item 205 - BronchoPneumopathie Chronique Obstructive (BPCO).

Doyle, C. et al. (2017) The impact of telephone-delivered cognitive behaviour therapy and befriending on mood disorders in people with chronic obstructive pulmonary disease: A randomized controlled trial. British Journal of Health Psychology, 22(3), p. 542-556.

Fettal, N., Bezioui, Y. et Taleb, A. (2017) La qualité de vie des patients BPCO. Revue des Maladies Respiratoires, 34, p. A167.

Fletcher (1960) Standardized Questionaries on Respiratory Symptoms. British Medical Journal, 2(5213), p. 1665.

Fuhrman, C. et Delmas, M.-C. (2010) Épidémiologie descriptive de la bronchopneumopathie chronique obstructive (BPCO) en France. Disponible sur : http://doi.org.https.sci-hub.nu/10.1016/j.rmr.2009.08.003

G. Ninot et al. (2010) La VQ11, un questionnaire de qualité de vie spécifique à la BPCO utilisable en clinique. Revue des Maladies Respiratoires, 27(5), p. 472-481.

GiangNguyen (2008) Understanding Quality Adjusted Life Years (QALY) and Cost Effectiveness Analysis - How Much Does a Healthy Year of Your Life Cost?. [En ligne] Health Guide Info.

Griffiths, T. et al. (2000) Results at 1 year of outpatient multidisciplinary pulmonary rehabilitation: a randomised controlled trial. The Lancet, 355(9201), p. 362-368.

Griffiths, T.L. et al. (2000) Results at 1 year of outpatient multidisciplinary pulmonary rehabilitation: a randomised controlled trial. Lancet (London, England), 355(9201), p. 362-368.

Grosbois, J.M. et al. (2015) Long-term evaluation of home-based pulmonary rehabilitation in patients with COPD. International Journal of Chronic Obstructive Pulmonary Disease, 10, p. 2037-2044.

Hansen, H. et al. (2017) COPD online-rehabilitation versus conventional COPD rehabilitation - rationale and design for a multicenter randomized controlled trial study protocol (CORe trial). BMC pulmonary medicine, 17(1), p. 140.

Haute Autorité de Santé (2018) BPCO - Causes fréquentes : tabagisme et expositions professionnelles.

Haute Autorité de Santé (2015) Démarche centrée sur le patient

Haute Autorité de Santé (2007a) Education thérapeutique du patient - Comment la proposer et la réaliser ?.

Haute Autorité de Santé (2007b) Education thérapeutique du patient - Définition, finalités et organisation.

Haute Autorité de Santé Grille d'aide à l'évaluation de la demande d'autorisation par l'ARS.

Haute Autorité de Santé (2014) Guide du parcours de soins de la BonchoPneumopathie Chronique Obstructive.

BIBLIO REHABILITATION RESPIRATOIRE

Haute Autorité de Santé (2013) Niveaux de preuve et gradation des recommandations de bonnes pratiques.

Lacasse, Y. et al. (2002) Pulmonary rehabilitation for chronic obstructive pulmonary disease. The Cochrane Database of Systematic Reviews, (3), p. CD003793.

Laurendeau, C. et al. (2015) Prise en charge et coûts de la bronchopneumopathie chronique obstructive en France en 2011. Revue des Maladies Respiratoires, 32(7), p. 682-691.

Li, Yi et al. (2018) A new pulmonary rehabilitation maintenance strategy through home-visiting and phone contact in COPD. Patient preference and adherence, 12, p. 97-104.

Marquis, N. et al. (2015) In-Home Pulmonary Telerehabilitation for Patients with Chronic Obstructive Pulmonary Disease: A Pre-experimental Study on Effectiveness, Satisfaction, and Adherence. Telemedicine Journal and E-Health: The Official Journal of the American Telemedicine Association, 21(11), p. 870-879.

McCarthy, B. et al. (2015) Pulmonary rehabilitation for chronic obstructive pulmonary disease Cochrane Airways Group, (éd.). Cochrane Database of Systematic Reviews.

Moullec, G. et al. (2007) Quelles solutions pour l'après-réhabilitation des patients BPCO ? Revue des Maladies Respiratoires, 24(2), p. 121-132.

OMS | La bronchopneumopathie chronique obstructive (BPCO).

Pinet, C (2006) Muscles respiratoires et périphériques dans la BPCO - EM|consulte.

Reychler, G. et al. (2018) One minute sit-to-stand test is an alternative to 6MWT to measure functional exercise performance in COPD patients. The Clinical Respiratory Journal, 12(3), p. 1247-1256.

Sharp, C. et al. (2017) Duration of benefit following completion of pulmonary rehabilitation in interstitial lung disease—an observational study. QJM: An International Journal of Medicine, 110(1), p. 17-22.

Snène, H. et al. (2017) Profil clinique et fonctionnel respiratoire des patients BPCO exacerbateurs fréquents. Revue des Maladies Respiratoires, 34, p. A168.

Société de Pneumologie de Langue Française (2010) Recommandation pour la Pratique Clinique. Revue des Maladies Respiratoires, 27(5), p. 522-548.

Spruit, M.A. et al. (2013) An Official American Thoracic Society/European Respiratory Society Statement: Key Concepts and Advances in Pulmonary Rehabilitation. American Journal of Respiratory and Critical Care Medicine, 188(8), p. e13-e64.

Tsai, L.L.Y. et al. (2017) Home-based telerehabilitation via real-time videoconferencing improves endurance exercise capacity in patients with COPD: The randomized controlled TeleR Study. Respirology (Carlton, Vic.), 22(4), p. 699-707.